

Quality Flooring Made Easy





www.ecohomeflooring.co.uk

What is SPC-1wx

We understand selecting flooring can be difficult, you need to account for its aesthetics and practicality. It's a challenge as there are so many flooring options, that vary in terms of quality and cost.

Not all SPC Flooring is the same; there are variations on the market – in terms of thickness, warranty, and installation method.

SPC-Lux makes no compromises to its quality or functionality. Our team of construction experts have worked tirelessly alongside manufacturers, to provide you with an affordable, luxury flooring.

What makes SPC-Lux Unique?

SPC-Lux Core Layer

100% Waterproof and mould resistant, which makes it the perfect solution for a range of areas including Kitchens and Bathrooms. It is exceptionally strong and maintains its stability.

Decorative Film Layer


This provides you with the authentic wood grain effect; you benefit from a technology that brings truly natural beauty to your floor.

Transparent Wear Layer

This technology provides resistance against scratches, indentations, and fire. Its transparent, yet significantly increases the life span of the product. This layer is textured, which means it has greater friction when wet compared to other floorings.

UV Coating

Prevents discolouration, when exposed to sunlight. It supports the wear layer by providing some of the resistance against both moisture, scratches, chemicals, and common household stains.



Colour Range

SPC-Lux is Supplied complete with a 35-year warranty in your home. Available in 7 colours and suitable for all rooms including kitchens, bathrooms and commercial properties.



Classic Oak



Classic Oak contains light golden oak hues and radiates natural beauty, which makes your living space feel more spacious, warm, and bright.



Nordic White Grey

Nordic White Grey has a Smokey grey base peppered with charcoal grey and contains delicate swirls and lines that mimic natural wood.





Red Oak Rustic Brown



Red Oak Rustic Brown has a blend of warm brown and cool grey tones which creates a beautiful unique look. The rich colour contrast with the dark grain gives it a striking rustic finish.

Colour Range



Nordic White Birch



Nordic White Birch is an elegant, white-washed natural wood with a subtle grey grain effect to add dimension. This flooring strikes the balance between natural beauty and contemporary design.



Nottingham Oak

Nottingham Oak includes cocoa and caramel tones and creates a timeless natural luxury finish. It not only looks like natural wood it feels like it too.





Red Oak Grey



Red oak grey features a slate grey base which is brought to life with a light grey wood effect and speckled with a deep rich grey colour which gives the flooring plenty of character.

Colour Range



Red Oak Rustic Grey



Red Oak Rustic Grey has a natural-looking colour variation throughout spanning from light grey to darker grey shades. With an oak-inspired texture that adds definition.







For More Information on the SPC-Lux or to order direct at Trade Rates with Free Next Day Delivery scan the QR Code!



Underlay Range

EcoTec FloorFoam

EcoTec Floor-Foam is commonly used as the underlay for SPC-Lux Flooring. Cold draughts can easily be prevented using EcoTec Floor-Foam, most homes build pre-1960 were often built with little to no insulation within the floors. This causes cold air to rise throughout your property.





- For Level Wood & Concrete Floors
- 4mm Thick, Flexible & Easy to Install
- Prevents Cold Rising Through Floors
- Built-in Damp Proof Membrane
- Excludes Draughts Rising Through Timber Floorboards

EcoTec Floor-Foam is commonly used as the underlay for SPC-Lux Flooring. Cold draughts can easily be prevented using EcoTec Floor-Foam, most homes build pre-1960 were often built with little to no insulation within the floors. This causes cold air to rise throughout your property.



Underlay Range

QuietWalk is an alternative to our EcoTec Floor Foam Insulation Underlay. It is specifically designed for those of you who have or are looking to install underfloor heating systems, alongside your SPC-Lux Flooring. QuietWalk allows heat from your underflooring heating system to permeate into the room above. At the same time, it protects the SPC-Lux Flooring from thermal shock – so is an approved product for this use.



Which Underlayment Should You Choose?

Both products have been carefully selected, they protect from moisture and act as a fantastic base for SPC-Lux.

If you are installing underfloor heating you should install our QuietWalk Underlayment. If you do not intend to install underfloor heating, you should use EcoTec Floor Foam Insulation.

The reason being is that EcoTec Floor Foam Insulation acts as a barrier between your home and the external temperature. It prevents cold bridging from below into the room above. At the same time, it improves your energy retention, rather than allowing it to escape.

In contrast, for those of you who have installed or plan to install underfloor heating – you want to feel the benefits opposed to blocking the heat, so you need an underlay that allows the heat to pass

Roll Coverage	9.29m²
Roll Weight	5.5KG
Guarantee	10 Year
Damp Proof Membrane	Yes
ΔLw (db)	20
Volatile Organic Chemical Free	Yes



Popular FAQ's

01

Why is SPC superior to Laminate Flooring?

The main benefit is that SPC is 100% Waterproof, Fire Rated, Scratch Resistant and boasts a huge 35 Year Residential Guarantee

02

Will the Flooring be OK with direct sunlight?

Yes - it has a double UV Coating which provides resistance from direct sunlight, which will protect against fading.

03

How slippery is SPC Flooring?

SPC has a textured surface which provides a high skid resistant top layer. It has greater friction compared to alternatives when wet.

04

Can I Install SPC with Underfloor Heating?

SPC is 100% compatible with underfloor heating. Its stone powder construction provides thermal benefits, as it holds heat really well.

05

How environmentally friendly is SPC?

SPC is 100% Recyclable - it is made up of virgin polyvinyl chloride and natural limestone powder - both materials are very sustainable.

Technical Information

Mechanical Properties	Result
Fire Resistance	Bfl-S1
Slip Resistance	Class DS
Seam Strength	Pass - Min.:330N/50mm
Resistance to chemicals	No change in surface detected
Resistance to Staining	Not affected - Pass
Large ball impact resistance	No cracks occurred at 2.5m

Certification	Result
Floorscore Certification	SCS-EC10.3-2014v3.0 - Pass
CE Certification	EN14041 - Pass



SPC-LUX, EcoTec FloorFoam and QuietWalk can be purchased online at the lowest trade rates with Free Next Day Delivery to the UK Mainland. We offer How-To Videos, more information or to to order online scan the QR Code Here!

